



PRODUCT INFORMATION SHEET

SHIFT PLUS

HEAVY DUTY DEGREASER & SANITIZER

PRODUCT INFORMATION:

Highly concentrated, multi-purpose cleaner & sanitizer designed for food preparation areas to cut through grease & grime. Contains a blend of betaines & microbicidal activities to kill gram positive & gram negative bacteria as well as yeast & fungi. Ideal for use in kitchens & food processing areas

ADVANTAGES:

POWERFUL SOIL REMOVAL:

Contains a blend of alkalis, sequestrants, wetting and emulsifying agents which enables it to penetrate, emulsify and remove grease and grime quickly and efficiently.

FAST ACTING AND VERSATILE:

Shift Plus will begin to emulsify oils & fats within minutes of application and can be applied easily by spray or mop on all hard surfaces.

COST EFFECTIVE CONCENTRATED SOLUTION:

Shift Plus is highly concentrated & can be diluted up to 1:100 with water therefore reducing waste & reducing & controlling costs

EASILY RINSED:

Shift Plus can be wiped or rinsed away easily leaving a hygienically clean surface with no streaks or stains

BIODEGRADABLE:

Fully biodegradable.

SOLUBILITY:

100% soluble in water.

DIRECTIONS FOR USE:

Dilute as follows; Light Soiling 1:80, Medium Soiling 1:40, Heavy Soiling 1:20.

Apply by spray or mop & allow a few moments contact time before wiping off with a clean, damp cloth, mop or power washer. Do not mix with other cleaning materials.

HEALTH AND SAFETY: See Safety Data Sheet.

PACKAGING:

All our plastic drums are high molecular weight; high-density polyethylene designed to bring the product to the customer in perfect conditions.

Size: 750ml RTU & 5Lt Drums

QUALITY ASSURANCE:

This product is manufactured in Ireland to ISO 9002 quality standards & conforms to R.E.A.C.H & CLP regulations. Shelf life: Not less than 3 years.

Safety Data Sheet

Corresponding to Regulation (EC) No 1272/2008 (CLP)

Page 1 of 9

Date of issue: 01.01.17

Replaces version of: 01.01.14

PRODUCT NAME: SHIFT PLUS

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Name SHIFT PLUS
Product No. KR 315

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Cleaning agent

1.3. Details of the supplier of the safety data sheet

Supplier Fastdeal Ltd t/a Cleanfast
Ashleigh House, JFK Road, Dublin 12
Tel: +353 (01) 4440146 Ph. 1800 848700
Email: info@fastdeal.ie

1.4. Emergency Contact: National Poisons Information Centre, Beaumont Hospital,
Beaumont Road, Dublin 9. Tel: +353(01)8092566

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification: Regulation (EC) No 1272/2008 H302, H314
Human health: Harmful if swallowed. Causes severe skin burns and eye damage
Environment: This product is Readily Biodegradable and not expected to be hazardous to the environment.

2.2. Label elements

Detergent Labelling: < 10% non-ionic surfactants & amphoteric surfactants
Labelling



DANGER



WARNING

Hazard	H302	Harmful if swallowed
Phrases	H314	Causes severe skin burns and eye damage
Precautionary Statements	P405 & 102	Store locked up. Keep out of the reach of children
	P260	Do not breathe mist/vapours/spray
	P262	Do not get in eyes, on skin or on clothing
	P264	Wash hands thoroughly after handling
	P270	Do not eat, drink or smoke when using this product.
	P280	Wear protective gloves, clothing, eye & face protection
	P301 & 310	IF SWALLOWED: Rinse out mouth immediately with water. Immediately call a poison centre or doctor/physician.
	P302	IF ON SKIN: Remove contaminated clothing & rinse skin thoroughly with soap & water. Obtain medical attention if irritation persists
	P304	IF INHALED: Remove immediately from source to fresh air. Obtain medical attention if any discomfort continues.
	P305 & 310	IF IN EYES: Flush eyes with water, remove contact lenses if present & continue rinsing. Immediately call a poison centre or doctor/physician.
	P501	Dispose of contents/container to in accordance with local regulations. Recover, reclaim or recycle, where possible.

2.3. Other hazards N/A

Safety Data Sheet

Corresponding to Regulation (EC) No 1272/2008 (CLP)

Page 2 of 9

Date of issue: 01.01.17

Replaces version of: 01.01.14

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

SODIUM HYDROXIDE CAS-No.: 1310-73-2 EC No.: 215-185-5	0-1%
Classification (EC 1272/2008) Skin Corr. 1A - H314	
DISODIUM METASILICATE PENTAHYDRATE CAS-No.: 10213-79-3 EC No.: 229-912-9	1-5%
Classification (EC 1272/2008) Metal Corr. 1 – H290 Skin Corr. 1B - H314 STOT SE 3 - H335	
ALCOHOL ETHOXYLATE CAS-No.: 68439-45-2 EC No.:	5-10%
Classification (EC 1272/2008) Acute Tox. 4 - H302 Eye Dam. 1 - H318	
TETRASODIUM ETHYLENE DIAMINE TETRAACELATE CAS-No.: 64-02-8 EC No.: 200-573-9	5-10%
Classification (EC 1272/2008) Acute Tox. 4 - H302 Eye Dam. 1 - H318	
2-BUTOXYETHANOL CAS-No.: 111-76-2 EC No.: 203-905-0	1-5%
Classification (EC 1272/2008) Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319	
ALKYLAMINE DICARBOXYLATE CAS-No.:90170-43-7 EC No.: 290-476-8	2-8%
Classification (EC 1272/2008) Eye Irrit. 2 - H319	
ALKYL DIMETHYL BETAINE CAS-No.: 66455-29-6 EC No.: 266-368-1	0-1%
Classification (EC 1272/2008) Skin Irrit. 2 - H315 Eye Dam. 2 - H319	

A Full Text for all Hazard Statements are Displayed in Section 16

Safety Data Sheet

Corresponding to Regulation (EC) No 1272/2008 (CLP)

Page 3 of 9

Date of issue: 01.01.17

Replaces version of: 01.01.14

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation:	Remove immediately from source to fresh air. Obtain medical attention if any discomfort continues.
Skin Contact:	Remove contaminated clothing & rinse skin thoroughly with soap & water. Obtain medical attention if irritation persists.
Eye Contact:	Flush eyes with water immediately. Obtain medical attention immediately
Ingestion:	DO NOT INDUCE VOMITING! Drink a few glasses of water or milk. Get medical attention if any discomfort continues.
Protection of first aider:	Avoid ingestion, contact with skin and eyes (see Section 8.)

4.2. Most important symptoms and effects, both acute and delayed

Inhalation:	Spray mists may cause respiratory tract irritation.
Ingestion:	May cause internal injury, pain and/or vomiting
Skin contact:	Corrosive to skin. May burn the skin after prolonged contact
Eye contact:	Damaging to eyes, may lead to the product affecting the natural lubrication of the eye & cause redness &/or tearing

4.3. Indication of any immediate medical attention and special treatment needed

The severity of the symptoms described will vary dependant of the concentration and the length of exposure.

SECTION 5: FIRE FIGHTING MEASURES

5.1 Suitable Extinguishing Media:	Water, Foam.
5.2 Unsuitable:	N/A
5.3 Specific Hazards:	Does not present any particular risk in the event of fire.
5.4 Special Equipment for the protection of Fire Fighters:	None.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions:	Avoid contact with skin and eyes (see Section 8.)
6.2 Environmental Precautions:	No special measures required
6.3 Methods for Cleaning up:	Small Spills - Flush with water. Large Spills - Contain and collect spillage and absorb on to sand.

SECTION 7: HANDLING AND STORAGE

7.1 Handling

Technical Measures:	No special measures required.
Safe Handling Advice:	Avoid contact with eyes and skin. Comply with instructions for use.

7.2 Storage

Technical Measures:	No special measures required.
Storage Conditions:	Store in a cool dry place.
Incompatible Products:	Acids, Strong Oxidizing Agents.
Packaging:	Plastic Drums.
Packaging Materials:	Recommended: Plastic Materials, Polyethylene, Polypropylene. Not Suitable - Uncoated Metal Drums.

Safety Data Sheet

Corresponding to Regulation (EC) No 1272/2008 (CLP)

Page 4 of 9

Date of issue: 01.01.17

Replaces version of: 01.01.14

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters:

Name	STD	Occupational Exposure Limit Value (8-hour reference period)		Occupational Exposure Limit Value (15 minute reference period)		Notes
		ppm	mg/m3	ppm	mg/m3	
Sodium Hydroxide	OELV	-		-	2	
Disodium Metasilicate Pentahydrate	OELV				2	
2 Butoxyethanol	OELV	20	98	50	246	Sk, IOELV

OELV = Occupational Exposure Limit Value.

8.2 Personal Protection Equipment:



Respiratory Protection:
Hand Protection:



Eye Protection:



Skin Protection:

Provide adequate ventilation in areas of confined space.
Use Chemical Resistant Gloves to EN Standard 374 Level 1, Letter Code K
Use Chemical Goggles or Face Shield to EN Standard 166 Level 3 or higher
Wear Plastic Apron EN Standard 13034 Type PB[6] & Face Shield EN Standard 166 Level 3 or higher

8.3 Hygiene Measures:

Handle in accordance with good industrial hygiene and safety practices.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

a)	Appearance:	Blue Liquid
b)	Odour:	Slight chemical
c)	Odour threshold:	N/A
d)	pH:	13+/-0.5 undiluted
e)	Melting point / freezing point:	No data available
f)	Initial boiling point & boiling range:	No data available
g)	Flash point:	No data available
h)	Evaporation rate:	No data available
i)	Flammability solid, gas):	No data available
j)	Upper/lower flammability or explosive limits:	No data available
k)	Vapour pressure:	No data available
l)	Vapour density:	No data available
m)	Relative density:	1.06kg/dm3
n)	Solubility(ies):	Soluble in Water
o)	Partition coefficient: n-octanol/water:	No data available
p)	Auto-ignition temperature:	No data available
q)	Decomposition temperature:	No data available
r)	Viscosity:	No data available
s)	Explosive properties:	No data available
t)	Oxidising properties:	No data available

Safety Data Sheet

Corresponding to Regulation (EC) No 1272/2008 (CLP)

Page 5 of 9

Date of issue: 01.01.17

Replaces version of: 01.01.14

SECTION 10: STABILITY AND REACTIVITY

<u>10.1. Reactivity:</u>	There are no known reactivity hazards associated with this product.
<u>10.2. Chemical stability:</u>	Stable under normal temperature conditions and recommended use.
<u>10.3. Possibility of hazardous reactions:</u>	Hazardous Polymerisation N/A
<u>10.4. Conditions to avoid:</u>	Avoid Extreme Temperatures. Avoid contact with acids &/or oxidising agents.
<u>10.5. Incompatible materials:</u>	Acids &/or oxidizing agents
<u>10.6. Hazardous decomposition products:</u>	None under normal conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects:

Inhalation:	Spray mists may cause respiratory tract irritation.
Ingestion:	May cause internal injury, pain and/or vomiting
Skin contact:	Corrosive to skin. May burn the skin after prolonged contact
Eye contact:	Damaging to eyes, may lead to the product affecting the natural lubrication of the eye & cause redness &/or tearing

11.2. Toxicological information on ingredients:

SODIUM HYDROXIDE (CAS: 1310-73-2)

Acute Toxicity (Dermal LD50)
1350 mg/kg Rabbit
IUCLID chemical data sheet.

TETRASODIUM ETHYLENE DIAMINE TETRAACELATE CAS-No.: 64-02-8

Acute Toxicity (Oral LD50)
1000 - 2000 mg/kg (rat)
REACH dossier information
Acute Toxicity
No skin irritation (rabbit)
OECD Test Guideline 404
Acute Toxicity
Eye irritation (rabbit)
OECD Test Guideline 405

ALCOHOL ETHOXYLATE (CAS: 68439-45-2)

Acute Toxicity (Oral LD50)
> 5000 mg/kg Rat
Acute Toxicity (Dermal LD50)
> 2000 mg/kg Rat
Acute Toxicity (Inhalation LC50)
> 1.6 mg/l (dust/mist) Rat 4 hours
REACH dossier information

2-BUTOXYETHANOL CAS-No.: 111-76-2

Acute Toxicity (Oral LD50)
1746 mg/kg Rat
Acute Toxicity (Dermal LD50)
0.63 mL/kg Rabbit
Acute Toxicity (Inhalation LC50)
450 ppm (vapours) Rat 4 hours
REACH dossier information

Safety Data Sheet

Corresponding to Regulation (EC) No 1272/2008 (CLP)

Page 6 of 9

Date of issue: 01.01.17

Replaces version of: 01.01.14

SECTION 12: ECOLOGICAL INFORMATION

Eco-toxicity

This product is Readily Biodegradable and not expected to be hazardous to the environment.

12.1. Toxicity

Ecological information on ingredients:

SODIUM HYDROXIDE (CAS: 1310-73-2)

Acute Toxicity - Fish

LC50 96 hours 45.4 mg/l *Onchorhynchus mykiss* (Rainbow trout)

IUCLID chemical data sheet.

TETRASODIUM ETHYLENE DIAMINE TETRAACELATE CAS-No.: 64-02-8

Acute Toxicity - Fish :

LC50 96 hours > 500 mg/l *Leuciscus idus* (Golden orfe)

EC50 Static Test > 100 mg/l (*Lepomis macrochirus*)

Acute Toxicity - Aquatic Invertebrates

EC50 48 hours >100mg/l *Daphnia magna*. EC50 24 hours 1033 mg/l *Daphnia magna*

Method: OECD 202

Acute Toxicity - Algae :

EC50 72 hours > 100 mg/l *Desmodesmus subspicatus* (green algae)

Method: OECD 201

ALCOHOL ETHOXYLATE (CAS: 68439-45-2)

Acute Toxicity - Fish

LC50 96 hours 0.59 mg/l *Pleuronectes platessa*

Acute Toxicity - Aquatic Invertebrates

EC50 48 hours 0.14 mg/l *Daphnia magna*

Acute Toxicity - Aquatic Plants

EC50 72 hours 0.75 mg/l *Selenastrum capricornutum*

REACH dossier information

BUTYL GLYCOL (CAS: 111-76-2)

Acute Toxicity - Fish

LC50 96 hours 1474 mg/l *Onchorhynchus mykiss* (Rainbow trout)

Acute Toxicity - Aquatic Invertebrates

EC50 48 hours 1550 mg/l *Daphnia magna*

Acute Toxicity - Aquatic Plants

EC50 72 hours 911 mg/l *Pseudokirchnerella subcapitata*

NOEC 72 hours 88 mg/l *Pseudokirchnerella subcapitata*

REACH dossier information

ALKYL DIMETHYL BETAINE (CAS-No.: 66455-29-6)

Acute Toxicity - Fish :

LC50 96 hours 0,43 mg/l *Cyprinus Carpio*

Method: OECD 203

Acute Toxicity - Bacteria

EC50 22 mg/l Activated Sludge

Method: OECD 209

Acute Toxicity - Aquatic Invertebrates

EC50 48 hours 0,11 mg/l *Daphnia magna*

Method: OECD 202

Acute Toxicity - Algae :

EbC50 72 hours 0.03 mg/l *Scenedesmus subspicatus*

Method: OECD 201

Safety Data Sheet

Corresponding to Regulation (EC) No 1272/2008 (CLP)

Page 7 of 9

Date of issue: 01.01.17

Replaces version of: 01.01.14

12.2. Persistence and degradability

Degradability: The surfactant(s) contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Ecological information on ingredients.

TETRASODIUM ETHYLENE DIAMINE TETRAACELATE CAS-No.: 64-02-8

Result: 5 % (activated sludge; 400 mg/l; Related to: Dissolved organic carbon (DOC); Exposure Time: 28 d)(OECD 302 B)

Kinetic data: < 1 %; 3 h

The substance is readily biodegradable

ALCOHOL ETHOXYLATE (CAS: 68439-45-2)

Biodegradation. Activated sludge Degradation (72%) 28 days

REACH dossier information

The substance is readily biodegradable.

12.3. Bioaccumulative potential

No data available on bioaccumulation.

Ecological information on ingredients

ALCOHOL ETHOXYLATE (CAS: 68439-45-2)

Bioaccumulation factor

BCF 12.7 Pimephales promelas (Fat-head Minnow)

REACH dossier information

12.4. Mobility in soil

Mobility: The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Not determined.

12.6. Other adverse effects

Not determined.

SECTION 13: DISPOSAL CONSIDERATIONS

General information: Waste to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local Waste Disposal Authority

13.1. Waste treatment methods

Dispose of waste in accordance with local regulations. Recover, reclaim or recycle, where possible.

Safety Data Sheet

Corresponding to Regulation (EC) No 1272/2008 (CLP)

Page 8 of 9

Date of issue: 01.01.17

Replaces version of: 01.01.14

SECTION 14: TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods:

REGULATIONS

RID/ADR:

ICAO/IATA-DGR:

GGVSee/IMDG-Code:

CLASS

Not Classified

14.1. UN number

N/A

14.2. UN proper shipping name

N/A

14.3. Transport hazard class(es)

N/A

14.4. Packing Group

N/A

14.5. Environmental Hazards

Environmentally Hazardous Substance/Marine Pollutant: N/A

14.6. Special precautions for user

NA

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

N/A

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Statutory Instruments

Corresponding to Preparations Regulations S.I. No. 62 of 2004

Approved Code Of Practice

Classification and Labelling of Substances and Preparations Dangerous for Supply.

6 / 7

Guidance Notes

Workplace Exposure Limits EH40.

EU Legislation

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

Safety Data Sheet

Corresponding to Regulation (EC) No 1272/2008 (CLP)

Page 9 of 9

Date of issue: 01.01.17

Replaces version of: 01.01.14

SECTION 16: OTHER INFORMATION

Revision Comments

Re-issued according to Regulation (EU) No 453/2010.

Revision Date: 01.01.17

Revision No: 4

Replaces version of: 01.01.14

Hazard Statements In Full

H290	May be corrosive to metals
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H400	Very toxic to aquatic life

The information contained herein is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It should therefore not be construed as guaranteeing specific properties.