



## PROFESSIONAL CLEANING PRODUCTS

### PRODUCT INFORMATION SHEET

# SUPER BOWL

## CERAMIC, TILE & GROUT CLEANER

### PRODUCT INFORMATION:

Industrial strength cleaner, sanitizer & de-scaler that will remove & kill all organic growth including mould & mildew as well as the build-up of lime-scale, body fats & soap scum from all ceramic, grout & concrete surfaces. Do not use on chrome, brass & stainless steel.

### ADVANTAGES:

CLEAR AWAY  
SCALE:

Super Bowl immediately dissolves existing scale, even the most stubborn deposits leaving sparkling surfaces

KILLS ALGAE:

Along with physically cleaning the surfaces of mould & algae Super Bowl is a powerful algacide leaving surfaces hygienically clean

SUITABLE IN HARD  
SOFT WATER:

Even in the most hard water areas Super Bowl is exceptionally OR efficient at scale removal.

STREAK FREE:

Super Bowl easily rinses off to leave a clean residue free surface

BIODEGRADABLE &:  
WATER SOLUBLE:

Fully biodegradable & 100% soluble in water.

### DIRECTIONS FOR USE:

Dilute up to 1:20 with water & brush, mop or sponge onto the surface, for very stubborn scale deposits use neat. Always allow time to penetrate before rinsing off with water. Do not mix with other detergents especially bleach. Do not use on chrome, brass or stainless steel.

**HEALTH AND SAFETY:** See Safety Data Sheet.

### PACKAGING:

All our plastic drums are high molecular weight; high-density polyethylene designed to bring the product to the customer in perfect conditions.

Size: 5Lt Drums

### QUALITY ASSURANCE:

This product is manufactured in Ireland to ISO 9002 quality standards & conforms to R.E.A.C.H & CLP regulations. Shelf life: Not less than 3 years.

# Safety Data Sheet

Corresponding to Regulation (EC) No 1272/2008 (CLP)

Page 1 of 8

Date of issue: 01.01.17

Replaces version of: 01.01.14

## PRODUCT NAME: SUPER BOWL

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product Name SUPER BOWL  
Product No. BR 413

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Cleaning agent

#### 1.3. Details of the supplier of the safety data sheet

Supplier Cleanfast.ie  
Ashleigh House, JFK Road, Dublin 12  
Tel: 1800 848700 (free) Email: info@fastdeal.ie

1.4. Emergency Contact: National Poisons Information Centre, Beaumont Hospital,  
Beaumont Road, Dublin 9. Tel: +353(01)8092566

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

Classification: Regulation (EC) No 1272/2008 H314, H335  
Human health: Causes severe skin burns & eye damage. May cause respiratory irritation  
Environment: This product is readily biodegradable and not expected to be damaging to the environment

#### 2.2. Label elements

Detergent Labelling: Contains: Hydrochloric Acid. non-ionic surfactants

Labelling



DANGER



WARNING

Hazard Phrases H314 Causes severe skin burns & eye damage  
H335 May cause respiratory irritation

Precautionary Statements P102 Keep out of the reach of children  
P261 Avoid breathing vapours or spray mists  
P262 Do not get in eyes, on skin or on clothing  
P264 Wash hands thoroughly after handling  
P271 Use only outdoors or in a well-ventilated area  
P280 Wear protective gloves, clothing, eye & face protection  
P302 IF ON SKIN: Remove contaminated clothing & rinse skin thoroughly with soap & water. Obtain medical attention if irritation persists  
P304 IF INHALED: Remove immediately from source to fresh air. Obtain medical attention if any discomfort continues.  
P305 IF IN EYES: Flush eyes with water, remove contact lenses if present & continue rinsing. Obtain medical attention if irritation persists.  
P312 Call a poison centre or doctor/physician if you feel unwell  
P403 Store in a well-ventilated place. Keep container tightly closed.

2.3. Other hazards N/A

# Safety Data Sheet

Corresponding to Regulation (EC) No 1272/2008 (CLP)

Page 2 of 8

Date of issue: 01.01.17

Replaces version of: 01.01.14

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

HYDROCHLORIC ACID ...%	10-20%
CAS-No.: 7647-01-0	EC No.: 231-595-7
Classification (EC 1272/2008) Skin Corr. 1B - H314 STOT SE 3 - H335	
ALCOHOL ETHOXYLATE	1-5%
CAS-No.: 160901-19-9	EC No.: 931-954-4
Classification (EC 1272/2008) Acute Tox. 4 - H302 Eye Dam. 1 - H318 Aquatic Acute 1 - H400	

A Full Text for all Hazard Statements are Displayed in Section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

Inhalation:	Remove immediately from source to fresh air. Obtain medical attention if any discomfort continues.
Skin Contact:	Remove contaminated clothing & rinse skin thoroughly with soap & water. Obtain medical attention if irritation persists.
Eye Contact:	Flush eyes with water immediately. Obtain medical attention if irritation persists.
Ingestion:	Rinse out mouth immediately with water. Consult a doctor if irritation persists.
Protection of first aider:	Avoid inhalation, contact with skin and eyes (see Section 8.)

### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation:	Spray mists may cause coughing, chest tightness, feeling of chest pressure.
Ingestion:	May cause discomfort if swallowed. May cause internal injury
Skin contact:	May cause serious chemical burns to the skin.
Eye contact:	Extreme irritation of eyes & mucous membranes, including burning & tearing.

### 4.3. Indication of any immediate medical attention and special treatment needed

The severity of the symptoms described will vary dependant of the concentration and the length of exposure, first aid may still be required in case of accidental exposure, inhalation or ingestion of this chemical. If in doubt, GET MEDICAL ATTENTION PROMPTLY!

## SECTION 5: FIRE FIGHTING MEASURES

5.1 Suitable Extinguishing Media:	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.
5.2 Unsuitable:	N/A
5.3 Specific Hazards:	Vaporises on heating to liberate highly irritating mists of hydrochloric acid. May decompose in a fire to generate irritating fumes. Attacks most metals, liberating flammable hydrogen gas, which may form an explosive mixture with air.
5.4 Special Equipment for the protection of Fire Fighters:	May generate toxic and explosive fumes in a fire, therefore fire fighters should wear self-contained breathing apparatus and full body protective clothing.

# Safety Data Sheet

Corresponding to Regulation (EC) No 1272/2008 (CLP)

Page 3 of 8

Date of issue: 01.01.17

Replaces version of: 01.01.14

## SECTION 6: ACCIDENTAL RELEASE MEASURES

- 6.1 Personal Precautions: Avoid inhalation of spray mist & contact with skin and eyes. Provide adequate ventilation (see Section 8.)
- 6.2 Environmental Precautions: If size of spillage warrants and has contaminated water courses, drains or vegetation - advise appropriate authorities.
- 6.3 Methods for Cleaning up: Small Spills - Flush with water.  
Large Spills - Contain and collect spillage & absorb to sand.

## SECTION 7: HANDLING AND STORAGE

### 7.1 Handling

- Technical Measures: Eye wash facilities & emergency shower must be available when handling this product.
- Safe Handling Advice: Avoid inhalation of spray mist & contact with eyes & skin. Comply with instructions for use.

### 7.2 Storage

- Technical Measures: No special measures required.
- Storage Conditions: Store in a cool dry place.
- Incompatible Products: Alkalis, Strong Oxidizing Agents. Mild steel, cast iron, aluminium, aluminium alloys, brasses, tinned & galvanized materials
- Packaging: Plastic Drums.
- Packaging Materials: Recommended: Plastic Materials, Polyethylene, Polypropylene.  
Not Suitable - Uncoated Metal Drums.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 Engineering Measures: No special measures required.
- 8.2 Personal Protection Equipment:



- Respiratory Protection: If engineering controls do not maintain airborne concentrations below recommended exposure limits, where applicable an air-purifying respirator type ABEK (EN 14387) respirator cartridges must be worn.
- Hand Protection: Use Chemical Resistant Gloves to EN Standard 374 Level 1, Letter Code K
- Eye Protection: Use Chemical Goggles or Face Shield to EN Standard 166 Level 3 or higher
- Skin Protection: Wear Plastic Apron EN Standard 13034 Type PB[6] & Face Shield EN Standard 166 Level 3 or higher
- 8.3 Hygiene Measures: Handle in accordance with good industrial hygiene and safety practices.

### 8.4 Occupational Exposure Limits:

Name	STD	Occupational Exposure Limit Value (8-hour reference period)		Occupational Exposure Limit Value (15 minute reference period)		Notes
		ppm	mg/m3	ppm	mg/m3	
HYDROCHLORIC ACID	OELV	5	8	10	15	IOELV

# Safety Data Sheet

Corresponding to Regulation (EC) No 1272/2008 (CLP)

Page 4 of 8

Date of issue: 01.01.17

Replaces version of: 01.01.14

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

a)	Appearance:	Form: Liquid. Colour: Yellow
b)	Odour:	Pungent
c)	Odour threshold:	N/A
d)	pH:	1+/-0.5 (undiluted)
e)	Melting point / freezing point:	No data available
f)	Initial boiling point & boiling range:	No data available
g)	Flash point:	No data available
h)	Evaporation rate:	No data available
i)	Flammability solid, gas):	No data available
j)	Upper/lower flammability or explosive limits:	No data available
k)	Vapour pressure:	No data available
l)	Vapour density:	No data available
m)	Relative density:	1.08kg/dm <sup>3</sup>
n)	Solubility(ies):	Soluble in Water
o)	Partition coefficient: n-octanol/water:	No data available
p)	Auto-ignition temperature:	No data available
q)	Decomposition temperature:	No data available
r)	Viscosity:	No data available
s)	Explosive properties:	No data available
t)	Oxidising properties:	No data available

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity:

There are no known reactivity hazards associated with this product.

### 10.2. Chemical stability:

Stable under normal temperature conditions and recommended use.

### 10.3. Possibility of hazardous reactions:

Contact with concentrated Sulphuric acid will liberate irritating fumes of Hydrogen Chloride Gas. Contact with conc. Nitric Acid liberates toxic fumes of Nitrosyl Chloride. Can liberate harmful gases from certain chemicals & Salts e.g. Cyanides, Nitrites, sulphites, Acetylides and Carbides. Reacts with oxidising agents to liberate toxic Chlorine Gas. Reactions with concentrated Alkalis generate much heat. Liberates Carbon Dioxide from carbonates and bicarbonates  
Corrosive to most metals

### 10.4. Conditions to avoid:

Avoid Extreme Temperatures. Avoid contact with alkalis &/or oxidising agents.

### 10.5. Incompatible materials:

Alkalis &/or oxidizing agents, most metals.

### 10.6. Hazardous decomposition products:

Hydrogen chloride (HCl).

# Safety Data Sheet

Corresponding to Regulation (EC) No 1272/2008 (CLP)

Page 5 of 8

Date of issue: 01.01.17

Replaces version of: 01.01.14

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects:

Inhalation: Irritating to respiratory system. Prolonged inhalation of high concentrations may damage respiratory system.

Ingestion: Causes burns. Swallowing concentrated chemical may cause severe internal injury. May cause chemical burns in mouth, oesophagus and stomach.

Skin contact: Corrosive and Irritating to skin. Will burn skin on contact

Eye contact: Risk of serious damage to eyes. Causes burns. Contact with concentrated chemical may very rapidly cause severe eye damage, possibly loss of sight.

### 11.2. Toxicological information on ingredients:

#### HYDROCHLORIC ACID 36% (CAS-No.: 7647-01-0)

##### Acute toxicity:

Acute Toxicity (Oral LD50)

No LD50 available. Will immediately cause corrosion of & damage to the gastrointestinal tract

Acute Toxicity (Dermal LD50)

No LD50 available. Will immediately cause corrosion of & damage to the skin

Acute Toxicity (Inhalation LC50)

No LC50 4 hour available

LC50 Rat (5 min exposure to aerosol of aqueous solution) 45.6mg/l

LC50 Rat (30 min exposure to aerosol of aqueous solution) 8.3mg/l

REACH dossier information

#### ALCOHOL ETHOXYLATE (CAS: 68439-45-2)

##### Acute toxicity:

Acute Toxicity (Oral LD50)

> 5000 mg/kg Rat

Acute Toxicity (Dermal LD50)

> 2000 mg/kg Rat

Acute Toxicity (Inhalation LC50)

> 1.6 mg/l (dust/mist) Rat 4 hours

REACH dossier information

## SECTION 12: ECOLOGICAL INFORMATION

### Eco-toxicity

The product components are not classified as environmentally hazardous. However, this product may affect the acidity (pH-factor) in water with risk of harmful effects to aquatic organisms. Large or frequent spills can have a harmful or damaging effect on the environment

### 12.1. Toxicity

#### Ecological information on ingredients:

#### HYDROCHLORIC ACID (CAS: 7647-01-0)

Acute Toxicity - Fish

LC50 96 hours 20.5 mg/l

REACH dossier information

Acute Toxicity - Aquatic Invertebrates

EC50 48 hours 0.45 mg/l Daphnia magna

REACH dossier information

Acute Toxicity - Aquatic Plants

EC50 72 hours 0.73 mg/l

REACH dossier information

# Safety Data Sheet

Corresponding to Regulation (EC) No 1272/2008 (CLP)

Page 6 of 8

Date of issue: 01.01.17

Replaces version of: 01.01.14

## ALCOHOL ETHOXYLATE (CAS: 68439-45-2)

Acute Toxicity - Fish

LC50 96 hours 0.59 mg/l *Pleuronectes platessa*

REACH dossier information

Acute Toxicity - Aquatic Invertebrates

EC50 48 hours 0.14 mg/l *Daphnia magna*

REACH dossier information

Acute Toxicity - Aquatic Plants

EC50 72 hours 0.75 mg/l *Selenastrum capricornutum*

REACH dossier information

### 12.2. Persistence and degradability

Degradability: The surfactant(s) contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Ecological information on ingredients.

## HYDROCHLORIC ACID (CAS: 7647-01-0)

Degradability.

This product is expected to be easily biodegradable.

## ALCOHOL ETHOXYLATE (CAS: 68439-45-2)

Biodegradation. Activated sludge Degradation (72%) 28 days

REACH dossier information

The substance is readily biodegradable.

### 12.3. Bioaccumulative potential

The product does not contain any substances expected to be bioaccumulating.

Ecological information on ingredients

## HYDROCHLORIC ACID (CAS: 7647-01-0)

Bioaccumulative potential

The product does not contain any substances expected to be bioaccumulating

## ALCOHOL ETHOXYLATE (CAS: 68439-45-2)

Bioaccumulation factor

BCF 12.7 *Pimephales promelas* (Fat-head Minnow)

REACH dossier information

### 12.4. Mobility in soil

Mobility: The product is soluble in water.

### 12.5. Results of PBT and vPvB assessment

Not determined.

### 12.6. Other adverse effects

Not determined.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

General information: Waste to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local Waste Disposal Authority

### 13.1. Waste treatment methods

Dispose of waste in accordance with local regulations. Recover, reclaim or recycle, where possible.

# Safety Data Sheet

Corresponding to Regulation (EC) No 1272/2008 (CLP)

Page 7 of 8

Date of issue: 01.01.17

Replaces version of: 01.01.14

## SECTION 14: TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods:

<b>REGULATIONS</b>	<b>CLASS</b>
RID/ADR:	Not Classified
ICAO/IATA-DGR:	Not Classified
GGVSee/IMDG-Code:	Not Classified

### 14.1. UN number

N/A

### 14.2. UN proper shipping name

N/A

### 14.3. Transport hazard class(es)

N/A

### 14.4. Packing Group

N/A

### 14.5. Environmental Hazards

Environmentally Hazardous Substance/Marine Pollutant: N/A

### 14.6. Special precautions for user

N/A

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

N/A

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Statutory Instruments

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).

#### Approved Code Of Practice

Classification and Labelling of Substances and Preparations Dangerous for Supply.  
6 / 7

#### Guidance Notes

Workplace Exposure Limits EH40.

#### EU Legislation

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

### 15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

# Safety Data Sheet

Corresponding to Regulation (EC) No 1272/2008 (CLP)

Page 8 of 8

Date of issue: 01.01.17

Replaces version of: 01.01.14

## SECTION 16: OTHER INFORMATION

### Revision Comments

Re-issued according to Regulation (EU) No 453/2010.

Revision Date: 01.01.17

Revision No: 4

Replaces version of: 01.01.14

### Hazard Statements In Full

H314 Causes severe skin burns & eye damage

H315 Causes skin irritation

H319 Causes serious eye irritation

H335 May cause respiratory irritation

---

The information contained herein is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It should therefore not be construed as guaranteeing specific properties.